

RUSTY BROWN MIDGE by Dave Tucker



Sz18, Rusty Brown Midge. TMC 100, 3/32 (2.4mm) Nickel or Chrome tungsten bead, UTC 70 Rusty Brown Thread, wrap thread to hook bend. Use SM black wire for rib, 6-8 wraps of rib. Left picture no UV, right picture UV wing case. Spend twist the thread as this fly is made.



Sz20, Rusty Brown Midge. TMC 100, 5/64(2mm) Nickel or Chrome tungsten bead, UTC 70 Rusty Brown Thread, wrap thread to hook bend. Use SM black wire for rib, 6-8 wraps of rib. UV wing case on bottom of bead-hook shank. Spend twist the thread as this fly is made.



Sz22, Rusty Brown Midge. TMC 100, 1/16(1.5mm) Chrome tungsten bead, UTC 70 Rusty Brown Thread, wrap thread past hook bend. Use SM black wire for rib, 5-6 wraps of rib. UV wing case on bottom of bead-hook shank. Spend twist thread.



What do you need to fish this fly? See the following.



Fishing Techniques

- 6X or 7X tippets w/leaders 9 foot long
- Indicators with depths observed by feeding fish
- Pitzen knot and UV sealer at tippet/leader knot
- Dead drift with occasional short twitch
- High sticking and watch for takes or leader action
- Rods with soft tips

Fiberglass

Long Graphite

Bamboo

Tenkara